## OPERATIONS MANUAL PCM-DSPIO PCM-J1708

#### WinSystems - "The Embedded Systems Authority"

#### **REVISION HISTORY**

#### P/N 403-0247-000

ECO Number	Date Code	Revision
ORIGINATED	960508	A
98-88	980826	A1
98-105	981117	A2


## **TABLE OF CONTENTS**

Section	Paragraph Title	Page
	Visual Index – Quick Reference	
1	General Information	1-1
1.1	Features	1-1
1.2	General Description	1-1
1.3	Specifications	1-2
2	PCM-DSPIO Technical Reference	2-1
2.1	Introduction	2-1
2.2	Serial I/O Address Selection	2-1
2.3	Serial Interrupt Selection	2-2
2.4	RS- 232 Mode Configuration	2-2
2.5	RS- 422 Mode Configuration	2-3
2.6	RS- 485 Mode Configuration	2-5
2.7	SAE J1708 Mode Configuration	2-7
2.8	Parallel Port I/O Address Selection	2-8
2.9	Parallel Port Direction Control	2-9
2.10	Parallel Port Interrupt Routing Selection	2-9
2.11	Parallel Port I/O Connector Pinout	2-9
2.12	PC/104 Bus Connectors	2-10
2.13	Connector/Jumper Summary	2-11

**APPENDIX** 

## Visual Index – Quick Reference

For the convenience of the user, a copy of the Visual Index has been provided with direct links to connector and jumper configuration data.



# 1 GENERAL INFORMATION

#### 1.1 **FEATURES**

- PC/104 compliant dual serial/parallel I/O module
- Two fully 16550 compatible async serial channels
- A fully compatible Centronics parallel port
- 16-byte serial transmit/receive FIFO
- Full RS-232 Modem control line support
- Programmable Baud rates from 50 to 115,200 bps
- Four Jumper selectable serial I/O maps
- Two jumper selectable Parallel port addresses
- Supports optional RS-422, RS-485, and SAE J1708 on both channels
- Dual mode bi-directional parallel printer port
- +5 Volt only operation
- -40° to +85° C operating temperature range

#### 1.2 **GENERAL DESCRIPTION**

The PCM-DSPIO is a small low-cost, add-on module for PC/104 based systems that provides two PC compatible serial ports and a PC compatible parallel printer port. Both serial channels come standard supporting RS-232 including all standard Modem control lines. Either or both channels can optionally be configured for RS-422 or RS-485 interface levels. A factory configured option allows for support of SAE J1708 on both serial channels. The programmable 16-byte transmit and receive FIFOs allow for multiple channels of high speed serial I/O without excessive processor bottlenecking. The PC compatible parallel port can be used as a primary or secondary printer port or can be used for general purpose digital I/O with its bi-directional capability.

#### 1.3 **SPECIFICATIONS**

#### **1.3.1** Electrical

Bus Interface: PC/104 8-Bit (optional 16-bit connector available for expanded interrupt capability)

VCC: +5V +/-5% @ 90mA. typ. all channels RS-232

120ma typ. all channels RS-422

I/O Addressing: PLD Controlled I/O address uses 10-bit address. Each serial channel requires 8

consecutive I/O port addresses.

Parallel port requires 4 consecutive I/O port addresses.

#### **1.3.2** Mechanical

Dimensions: 3.8" X 3.8" X 0.5"

PC Board: FR4 Epoxy Glass, with 2 signal layers with screened component legend, and plated

through holes.

Jumpers: 0.025" square posts on 0.10" centers

Serial I/O Connector: 20 pin 0.10" grid RN type IDH-20-LP

Parallel I/O Connector: 26 pin 0.10" grid RN type IDH-26-LP

#### **1.3.3** Environmental

Operating Temperature: -40° to +85°C


Non-Condensing Relative Humidity: 5% to 95%

## 2 PCM-DSPIO TECHNICAL REFERENCE


## 2.1 Introduction

This section of the manual is intended to provide sufficient information regarding the configuration and usage of the PCM-DSPIO module. WinSystems maintains a Technical Support Group to help answer questions regarding configuration and programming of the board. For answers to questions not adequately addressed in this manual, contact Technical Support at (817) 274-7553 between 8AM and 5PM Central Time. Technical support may also be requested via FAX at (817) 548-1358. Appendix C contains the complete reprint of the Startech 16C552 datasheet and is provided to the programmer as a source of information for all UART registers and parallel port register details.

## 2.2 Serial I/O Address Selection



The PCM-DSPIO maps the two serial channels to any of 4 pairs of addresses as defined in the illustration below.




## 2.3 **Serial Interrupt Selection**

Both serial channels can be programmed to generate interrupts on Transmitter empty, Receive character ready, or Line status changes. Each channel's interrupt output can be routed to an IRQ pin on the PC/104 bus via the jumper block at J7. Note that each channel is repeated throughout the jumper block several times allowing access to most any of the bus interrupts. Jumpers may be placed vertically or horizontally to route the serial interrupt to the bus. The illustration below shows the J7 header and its corresponding pin definitions.

J7				
CH1 IRQ3 CH1 IRQ5 CH1 IRQ10 CH1 IRQ12 CH1 LPT	1 o 3 o 5 o 7 o 9 o 11 o 13 o 15 o 17 o 19 o	<ul> <li>2</li> <li>4</li> <li>6</li> <li>8</li> <li>10</li> <li>12</li> <li>14</li> <li>16</li> <li>18</li> <li>20</li> </ul>	IRQ2 CH2 IRQ4 CH2 IRQ7 CH2 IRQ11 CH2 IRQ15 CH2	

## 2.4 **RS-232 Mode Configuration**



Full RS-232 signal levels are standard on both serial channels. The two serial channels are terminated at J1 and a dual DB9 cable is available from WinSystems under part number CBL-173-1. The following illustrations show the correct jumpering, driver IC installation, and DB9 I/O connector pin-out for RS-232 on each channel. Refer to Appendix D for pin definitions when not using the CBL-173-1 cable.

#### **2.4.1** Channel 1 - RS-232

Jumper	Positions	<b>Driver IC Status</b>	I/O Connector Pin Defs
J5 1 o 2 o 3 o	J6 1 0 2 0 3 0	U2 - Installed U5 - Not Installed U6 - Not Installed	CH1 DB9  CD 1 0 0 6 RX Data 2 0 0 7 TX Data 3 0 0 8 DTR 4 0 0 9 GND 5 0

#### **2.4.2** Channel 2 - RS-232

Jumper	Positions	Driver IC Status	I/O Connector Pin Defs
J2 1 0 2 0 3 0	J3 1 o 2 o 3 o	U1 - Installed U3 - Not Installed U4 - Not Installed	CH2 DB9  CD 1 0 0 6 DSR  RX Data 2 0 0 7 RTS  TX Data 3 0 0 8 CTS  DTR 4 0 0 9 RI  GND 5 0

## 2.5 **RS-422 Mode Configuration**

RS-422 signal levels are supported on either or both serial channels with the installation of the optional "Chip Kit" part number CK-75176-2. This kit provides the driver ICs necessary for a single channel of RS-422. If two channels of RS-422 are required then two kit will be needed. RS-422 is a 4-wire point to point full-duplex interface allowing much longer runs than are possible with RS-232. The differential transmitter and receiver twisted-pairs offer a high degree of noise immunity. RS-422 usually requires that the lines be terminated at both ends. This termination can be accomplished either on the cable or by installing resistors on the board in locations reserved for them. The methodology in determining the correct resistor values is beyond the scope of this document but we recommend trial values of 100 Ohms in all three locations at the receiver end. The following illustrations show the correct jumpering, driver IC installation, DB-9 I/O connector pin-out, and termination resistor locations for each of the channels when used in RS-422 mode.


#### **2.5.1** Channel 1 - RS-422

## Jumper Positions

# J5 J6 1 o 2 o 3 o 3 o

#### Driver IC Status I/O Connector Pin Defs

	CH1 DB	9
U2 - Not Installed U5 - Installed U6 - Installed	N/C 1 0 0 0 TX+ 2 0 0 7 TX- 3 0 0 8 N/C 4 0 0 9 GND 5 0	RX+ RX- RX- N/C N/C



**RS-422 NOTE:** When used in RS-422 mode the transmitter must be enabled via software by setting the RTS bit in the Modem Control register (Bit 1).

#### **2.5.2** Channel 2 - RS-422


#### **Jumper Positions**


#### **Driver IC Status**

#### I/O Connector Pin Defs

J3		
	1 o	
	2 <b>o</b> 3 <b>o</b>	
	J 0	

U1 - Not Installed U3 - Installed U4 - Installed






**RS-422 NOTE:** When used in RS-422 mode the transmitter must be enabled via software by setting the RTS bit in the Modem Control register (Bit 1).

## 2.6 **RS-485 Mode Configuration**

The RS-485 multi-drop interface is supported on both serial channels with the installation of the optional "Chip Kit", WinSystems part number CK-75176-2. A single kit is sufficient to configure both channels for RS-485. RS-485 is a 2 wire multi-drop interface where only one station at a time talks (transmits) while all others listen (receive). RS-485 usually requires that the line-pair be terminated at each end of the run. The required termination show the correct jumpering, driver IC installation, DB9 I/O connector pin-out, and termination resistor locations for each of the channels when used in the RS-485 mode.

#### **2.6.1** Channel 1 - RS-485


Jumper	Positions	Driver IC Status	I/O Connector Pin Defs
J5 1 o 2 g 3 g	J6 1 o 2 g 3 l	U2 - Not Installed U5 - Installed U6 - Not Installed	CH1 DB9  N/C



**RS-485 NOTE:** Because RS-485 uses a single twisted-pair, all transmitters are connected in parallel. Only one station may transmit, or have its transmitter enabled at a time. The transmitter Enable/Disable is controlled by Bit 1 in the Modem Control register (RTS). When set, the transmitter is enabled, when cleared (the normal state) the transmitter is disabled and the receiver is enabled. Note that it is necessary to allow some minimal settling time after enabling the transmitter before transmitting the first character. Likewise, following a transmission, it is necessary to be sure that all characters have been completely shifted out of the UART (Check bit 6 in the Line status register) before disabling the transmitter to avoid chopping off the last character.

#### **2.6.2** Channel 2 - RS-485

Jumper	Positions	Driver IC Status	I/O Connector Pin Defs
J2 1 o 2 1 3 1	J3 1 o 2 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	U1 - Not Installed U3 - Installed U4 - Not Installed	CH2 DB9  N/C 1 0 0 6  TX/RX+ 2 0 0 7  TX/RX- 3 0 0 8  N/C 4 0 0 9  GND 5 0  TX/RX- N/C N/C N/C




RS-485 NOTE: Because RS-485 uses a single twisted-pair, all transmitters are connected in parallel. Only one station may transmit, or have its transmitter enabled at a time. The transmitter Enable/Disable is controlled by Bit 1 in the Modem Control register (RTS). When set, the transmitter is enabled, when cleared (the normal state) the transmitter is disabled and the receiver is enabled. Note that it is necessary to allow some minimal settling time after enabling the transmitter before transmitting the first character. Likewise, following a transmission, it is necessary to be sure that all characters have been completely shifted out of the UART (Check bit 6 in the Line status register) before disabling the transmitter to avoid chopping off the last character.

## 2.7 **SAE J1708 Configuration**


The Society of Automotive Engineers (SAE) J1708 interface is a variation of the RS-485 interface which is used for "Serial Data Communications between Microcomputer Systems in Heavy Duty Vehicle Applications". It is beyond the scope of this document to go into detail on the J1708 specification. The PCM-DSPIO must be factory configured for J1708 usage through the installation of a number of required termination and filtering components. The following illustrations show the correct jumpering, driver IC installation, DB9 I/O connector pin definitions, and termination network details for each of the channels when used in J1708 mode.

#### **2.7.1** Channel 1 - SAE J1708


Jumper P	ositions	Driver IC Status	I/O Connector Pin Defs
J5 1 1 2 3 o	J6 1 1 2 3 o	U2 - Not Installed U5 - Installed U6 - Not Installed	CH1 DB9  N/C 1 0 0 6 TX/RX+ TX/RX+ 2 0 0 7 TX/RX- TX/RX- 3 0 0 8 N/C N/C 4 0 0 9 N/C GND 5 0



#### **2.7.2** Channel 2 - SAE J1708



#### 2.8 Parallel Port I/O Address Selection



The parallel port on the PCM-DSPIO can be I/O mapped at either of 2 base addresses as determined by jumper block J10. The following illustration shows the J10 jumpering for each of the two supported addresses.

## 2.9 **Parallel Port Direction Control**

The parallel port on the PCM-DSPIO is capable of bi-directional data transfer. The jumper block at J8 defines the method(s) available to convert between input mode and output mode. The table below shows the relationship between the J8 jumper installation and the I/O selection modes available. For additional details on I/O direction control refer to the Startech 16C552 reprint in Appendix C.

Control Register Bit 5	J8 Jumper	I/O Select Register	Port Direction
X	ON	AA Hex	Input Mode
X	ON	55 Hex	Output Mode
0	OFF	X	Output Mode
1	OFF	X	Input Mode

## 2.10 Parallel Port Interrupt Routing

The parallel port on the PCM-DSPIO, like those on standard PC printer ports, is capable of generating an interrupt on printer acknowledge. This feature is not used by a PC BIOS and is rarely used by PC software. In the event this interrupt is desired, it may be routed to the bus using a jumper wire from pin 19 on J7 to the desired bus interrupt. The pin definitions for the J7 interrupt routing header are shown below:

J7				
CH1 IRQ3 CH1 IRQ5 CH1 IRQ10 CH1 IRQ12 CH1 LPT	1 o 3 o 5 o 7 o 9 o 11 o 13 o 15 o 17 o 19 o	<ul> <li>0 2</li> <li>0 4</li> <li>0 6</li> <li>0 8</li> <li>0 10</li> <li>0 12</li> <li>0 14</li> <li>0 16</li> <li>0 18</li> <li>0 20</li> </ul>	IRQ2 CH2 IRQ4 CH2 IRQ7 CH2 IRQ11 CH2 IRQ15 CH2	

## 2.11 Parallel Port I/O Connector Pinout

The parallel port on the PCM-DSPIO terminates at connector J4. An interface cable WinSystems part number CBL-102-1 is available which connects to J4 and then presents the standard DB25 female connector to which PC printer cables may be attached. If using

the parallel port for custom I/O or for reference, the following illustration shows the pin definitions for J4.

	J4	ŀ	
PD0 3 PD1 5 PD2 7 PD3 9 PD4 11 PD5 13 PD6 15 PD7 17 /ACK 19 BUSY 21		0 2 0 4 0 6 0 8 0 10 0 12 0 14 0 16 0 18 0 20 0 22 0 24 0 26	/AFD /ERROR /INIT /SLIN GND GND GND GND GND GND GND GND GND
3601 25	0	<b>U</b> 26	IV/C

## 2.12 PC/104 Bus Connectors

The PCM-DSPIO plugs onto the PC/104 bus using the connectors at J11 and J12 (PCM-DSPIO-16 only). The PC/104 bus pin definitions are shown here for reference.

	J1	1			J1	2	
GND RESET +5V IRQ2 -5V DRQ2 -12V 0WS +12V GND SMEMW SMEMR IOW IOR DACK3 DACK1 DACK0 CLK IRQ6 IRQ5 IRQ4 IRQ5 IRQ4 IRQ3 DACK2 T/C BALE +5V OSC GND GND	B7 o B8 o B9 o B10 o B11 o B12 o B13 o B14 o B15 o B16 o B17 o	o A2 o A3 o A4 o A5 o A6 o A7 o A8 o A10 o A11 o A12 o A13 o A15 o A16 o A17 o A18 o A21 o A21 o A22 o A23 o A24 o A25 o A29 o o A29 o o o o o o o o o o o o o o o o o o o	IOCHK SD7 SD6 SD5 SD4 SD3 SD2 SD1 SD0 IOCHRDY AEN SA19 SA18 SA17 SA16 SA15 SA15 SA11 SA11 SA12 SA11 SA10 SA9 SA8 SA7 SA6 SA5 SA6 SA5 SA4 SA3 SA2 SA1 SA0 GND	GND SBHE LA23 LA22 LA21 LA20 LA19 LA17 MEMR MEMW SD8 SD9 SD10 SD11 SD12 SD13 SD14 SD15 KEY	C0 o C1 o C2 o C3 o C4 o C5 o C6 o C7 o C6 o C7 o C11 o C12 o C14 o C15 o C19	o D0 o D1 o D2 o D3 o D4 o D5 o D6 o D7 o D8 o D9 o D10 o D11 o D12 o D13 o D14 o D15 o D16 o D17 o D18 o D19	GND MEMCS16 IOCS16 IRQ10 IRQ11 IRQ12 IRQ15 IRQ14 DACK0 DRQ0 DACK5 DRQ5 DACK5 DACK6 DACK7 DRQ7 +5V MASTER GND GND

## 2.13 Connector/Jumper Summary

Connector/ Jumper	Purpose	Page Reference
J1	Serial I/O Connector	2-2
J2	Channel 2 RS-485/J1708 configuration jumper	2-3
J3	Channel 2 RS-486/J1708 configuration jumper	2-3
J4	Parallel Port I/O connector	2-9
J5	Channel 1 RS-485/J1708 configuration jumper	2-3
J6	Channel 1 RS-485/J1708 configuration jumper	2-3
J7	Interrupt routing header	2-2
J8	Parallel Port Bi-directional mode control jumper	2-9
J9	Serial I/O Map select jumper	2-1
J10	Parallel Port I/O address select jumper	2-8
J11	PC/104 8-bit Bus connector	2-10
J12	PC/104 16-bit Bus connector	2-10

## **APPENDIX**

## **Startech 16C522 Datasheet Reprint**

Printable datasheet in PDF format	DP83905_ ATLANTIC .pdf
-----------------------------------	------------------------

#### **Cables**

Part Number	Description
CBL-101-3	26-pin ribbon to 25-pin male "D" connector parallel adapter cable
CBL-173-1	20-pin ribbon to two male 9-pin "D" connector adapter cable

#### **Software**

	005011174 715
Simple C routine that uses receive interrupt	8250INTA.ZIP
Simple & routine that ases receive interrupt	02301117A.211